



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Wednesday, November 27, 2024 Time of Issue: 1630 hours IST (EVENING)

# **All India Impact Based Weather Warning Bulletin**

Weather Warnings for next 7 days is given below: (Graphics for warnings & rainfall distribution (Table 1) are given below the text:

# 27 November (Day 1):

- ♣ Heavy to very Heavy rainfall with extremely heavy falls (≥ 20 cm) very likely at isolated places over Tamil Nadu, Puducherry & Karaikal; Heavy rainfall (≥ 7 cm) at isolated places over Coastal Andhra Pradesh & Yanam.
- **Dense fog** very likely in isolated pockets of Himachal Pradesh, Punjab, Haryana-Chandigarh-Delhi and Uttar Pradesh in night/morning hours.
- **Thunderstorm accompanied with lightning** very likely at isolated places over Tamil Nadu, Puducherry & Karaikal, Coastal Andhra Pradesh & Yanam, Rayalaseema.
- ❖ Gale wind speed reaching 60-70 kmph gusting to 80 kmph is likely over southwest Bay of Bengal and along & off Sri Lanka coasts. Squally wind speed reaching 55-65 kmph gusting to 75 kmph is likely to prevail over westcentral Bay of Bengal and along & off Tamil Nadu-Puducherry and south Andhra Pradesh coasts. Fishermen are advised not to venture into these areas.

## 28 November (Day 2):

- ♣ Heavy to very Heavy rainfall (≥ 12 cm) likely at isolated places over Tamil Nadu, Puducherry & Karaikal, Coastal Andhra Pradesh & Yanam; Heavy rainfall (≥ 7 cm) at isolated places over Rayalaseema.
- ❖ **Dense fog** very likely in isolated pockets of Himachal Pradesh, Punjab, Haryana-Chandigarh-Delhi and Uttar Pradesh in night/morning hours.
- **Thunderstorm accompanied with lightning** very likely at isolated places over Tamil Nadu, Puducherry & Karaikal, Coastal Andhra Pradesh & Yanam, Rayalaseema.
- ❖ Gale wind speed reaching 60-70 kmph gusting to 80 kmph is likely over southwest Bay of Bengal and along & off Sri Lanka coasts. Squally wind speed reaching 55-65 kmph gusting to 75 kmph is likely to prevail over westcentral Bay of Bengal and along & off Tamil Nadu-Puducherry and south Andhra Pradesh coasts. Fishermen are advised not to venture into these areas.





## 29 November (Day 3):

- ❖ Heavy to very Heavy rainfall (≥ 12 cm) likely at isolated places over Tamil Nadu, Puducherry & Karaikal, Coastal Andhra Pradesh & Yanam; Heavy rainfall (≥ 7 cm) at isolated places over Rayalaseema.
- ❖ **Dense fog** very likely in isolated pockets of Punjab, Haryana-Chandigarh-Delhi and Uttar Pradesh in night/morning hours.
- ❖ Thunderstorm accompanied with lightning likely at isolated places over Nagaland, Manipur, Mizoram & Tripura.
- ❖ Gale wind speed reaching 60-70 kmph gusting to 80 kmph is likely over southwest Bay of Bengal and along & off Sri Lanka coasts. Squally wind speed reaching 55-65 kmph gusting to 75 kmph is likely to prevail over westcentral Bay of Bengal and along & off Tamil Nadu-Puducherry and south Andhra Pradesh coasts. Fishermen are advised not to venture into these areas.

## 30 November (Day 4):

- ❖ Heavy to very Heavy rainfall (≥ 12 cm) likely at isolated places over Tamil Nadu, Puducherry & Karaikal, Coastal Andhra Pradesh & Yanam; Heavy rainfall (≥ 7 cm) at isolated places over Andaman & Nicobar Islands, Kerala & Mahe, Rayalaseema.
  - ❖ **Dense fog** likely in isolated pockets of Uttar Pradesh in night/morning hours.
- **❖ Thunderstorm accompanied with lightning** likely at isolated places over Nagaland, Manipur, Mizoram & Tripura.
- ❖ Squally wind speed reaching 55-65 kmph gusting to 75 kmph is likely to prevail over southwest Bay of Bengal, along & off Tamil Nadu- Puducherry and south Andhra Pradesh coasts. Fishermen are advised not to venture into these areas.

#### 01 December (Day 5):

❖ Heavy rainfall (≥ 7 cm) likely at isolated places over Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe.

#### 02 December (Day 6):


❖ Heavy rainfall (≥ 7 cm) likely at isolated places over Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe.


### 03 December (Day 7):


**❖** No Warning.
















#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences



- Action may be taken based on ORANGE AND RED COLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.





## National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Table-1

7 Days Rainfall Forecast								
S. No.	Subdivision	27-Nov	28-Nov	29-Nov	30-Nov	01-Dec	02-Dec	03-Dec
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	FWS	FWS	FWS	WS	WS	FWS	FWS
2	ARUNACHAL PRADESH	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
3	ASSAM & MEGHALAYA	DRY	DRY	ISOL	DRY	DRY	DRY	DRY
4	NAGALAND, MANIPUR, MIZORAM & TRIPURA	DRY	ISOL	SCT	SCT	ISOL	ISOL	ISOL
5	SUB-HIMALAYAN WEST BENGAL & SIKKIM	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
6	GANGETIC WEST BENGAL	DRY	DRY	DRY	ISOL	ISOL	DRY	DRY
7	ODISHA	DRY	ISOL	ISOL	ISOL	DRY	DRY	DRY
8	JHARKHAND	DRY						
9	BIHAR	DRY						
10	EAST UTTAR PRADESH	DRY						
11	WEST UTTAR PRADESH	DRY						
12	UTTARAKHAND	DRY						
13	HARYANA CHANDIGARH & DELHI	DRY						
14	PUNJAB	DRY						
15	HIMACHAL PRADESH	DRY	DRY	DRY	ISOL	DRY	ISOL	SCT
16	JAMMU & KASHMIR AND LADAKH	DRY	DRY	DRY	ISOL	ISOL	DRY	ISOL
17	WEST RAJASTHAN	DRY						
18	EAST RAJASTHAN	DRY						
19	WEST MADHYA PRADESH	DRY						
20	EAST MADHYA PRADESH	DRY						
21	GUJARAT REGION	DRY						
22	SAURASHTRA & KUTCH	DRY						
23	KONKAN & GOA	DRY						
24	MADHYA MAHARASHTRA	DRY						
25	MARATHAWADA	DRY						
26	VIDARBHA	DRY						
27	CHHATTISGARH	DRY						
28	COASTAL ANDHRA PRADESH & YANAM	SCT	SCT	FWS	WS	FWS	SCT	SCT
29	TELANGANA	DRY	DRY	DRY	ISOL	ISOL	ISOL	ISOL
30	RAYALASEEMA	SCT	FWS	WS	WS	WS	FWS	FWS
31	TAMILNADU PUDUCHERRY & KARAIKAL	FWS	SCT	FWS	FWS	FWS	SCT	SCT
32	COASTAL KARNATAKA	DRY	DRY	DRY	ISOL	SCT	FWS	SCT
33	NORTH INTERIOR KARNATAKA	DRY						
34	SOUTH INTERIOR KARNATAKA	ISOL	ISOL	ISOL	ISOL	SCT	FWS	FWS
35	KERALA & MAHE	SCT	SCT	SCT	FWS	FWS	FWS	FWS
36	LAKSHADWEEP	SCT	SCT	SCT	FWS	FWS	FWS	FWS

<sup>•</sup> As the lead period increases forecast accuracy decreases.





#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

## Impact & Action Suggested due to

- ✓ **Isolated extremely heavy rainfall** over Tamil Nadu, Puducherry & Karaikal on 27<sup>th</sup> November.
- ✓ **Isolated heavy to very heavy rainfall** over Tamil Nadu, Puducherry & Karaikal and Coastal Andhra Pradesh & Yanam during 28<sup>th</sup> 30<sup>th</sup> November.
- ✓ **Moderate to High flash flood risk** likely over Tamil Nadu, Puducherry & Karaikal on 27<sup>th</sup> & 28<sup>th</sup> November. (ANNEXURE I)

#### A. Impact Expected

- ❖ Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- ❖ Occasional reduction in visibility due to heavy rainfall.
- ❖ Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- ❖ Possibilities of damage to vulnerable structure.
- ❖ Localized Landslides/Mudslides
- ❖ Damage to horticulture and standing crops in some areas due to inundation.
- ❖ It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC).

#### **B.** Action Suggested

- ❖ Check for traffic congestion on your route before leaving for your destination.
- ❖ Follow any traffic advisories that are issued in this regard.
- ❖ Avoid going to areas that face the water logging problems often.
- ❖ Avoid staying in vulnerable structure.

#### Impact expected due to dense/very dense fog in the late night/morning hours

#### Transport and Aviation:

- May affect some airports, highways and railway routes in the areas of met-sub-division.
- Difficult driving conditions with slower journey times.
- Unless taken precautionary measures, it may lead to some road traffic collisions.

#### ❖ Power Sector:

• Chances of Tripping of Power lines in the very dense fog routes.

#### **❖** Human Health:

- Lung related health impacts: Dense fog contains particulate matter and other pollutants and in case exposed it gets lodged in the lungs, clogging them and decreasing their functional capacity which increases episodes of wheezing, coughing and shortness of breath.
- Impact on people having asthma bronchitis: Long time exposure to dense fog may cause respiratory problem for people having asthma bronchitis and other lung related health problems.
- Eye Irritation: Dense fog contains pollutions of various types and these Pollutants in the air if exposed may tend to irritate the membranes of the eye causing various infections leading to redness or swelling of the eye.

## **Action suggested:**

- **Transport and Aviation:** 
  - Be careful while driving or outing through any transport.
  - Use fog lights during driving.
  - Be in touch with airlines, railways and state transport for schedule of your journey.
- ❖ Power Sector:
  - To keep ready Maintenance Team
  - Human Health: To avoid outing until unless emergency and to cover the face.



# Agromet advisories for Heavy Rainfall likely over Tamil Nadu, Kerala and Coastal Andhra Pradesh:

- In **Tamil Nadu**, drain out excess water from rice, sugarcane, cotton, turmeric, vegetables and other standing crop fields; coconut and banana orchards. Undertake propping in sugarcane. Provide mechanical support to banana plants to prevent lodging.
- ➤ In **Andhra Pradesh**, harvest the matured rice immediately and keep the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Provide adequate drainage facilities for removal of excess water from rice nurseries, vegetables, standing crop fields and fruit orchards. Provide mechanical support to horticultural crops and staking to vegetables.

# **Livestock and Fishery**

- ➤ Keep the animals inside the shed during heavy rainfall and provide balanced feed.
- > Store the feed and fodder at safer place to avoid spoilage from rainfall.
- > Hang gunny bags all around poultry sheds.
- ➤ Construct an outlet with proper netting around the pond to drain out excess rain water, thereby preventing fishes/fingerlings from escaping in case of overflowing.
- ➤ Check and repair dykes around the ponds to avoid entry of runoff water from catchment area.

## Flash Flood Guidance:


#### **ANNEXURE I**

# 24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 28-11-2024:

**Moderate to High flash flood risk** likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

**Tamil Nadu - Pudu & Karaikal** - Karaikal, Nagapattinam, Pudukkottai and Thiruvarur districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over AoC as shown in map due to expected rainfall occurrence in next 24 hours.





## **Legends & abbreviations:**

- **♦ Heavy Rain:**64.5-115.5mm; **Very Heavy Rain:**115.6-204.4mm; **Extremely Heavy Rain:** >204.4mm.
- ❖ Obsy.: Observatory; AWS: Automatic Weather Station; ARG: Automatic Rain Gauge; dist.: District: NH: National Highway; KVK: Krishi Vigyan Kendra; DVC: Damodar Valley Corporation; PTO: Part Time Office, Aero: Aerodrome, IAF: Indian Air Force.
- **Region wise classification of meteorological Sub-Divisions:**
- ✓ **Northwest India:** Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana-Chandigarh-Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
- ✓ **Central India:** West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
- ✓ **East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
- ✓ **Northeast India:** Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
- ✓ **West India:** Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra and Marathawada.
- ✓ **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

## **LEGENDS**



#### **SPATIAL DISTRIBUTION** (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)
Fog — Heavy Snow -		Cold Wa	ve COLOUR CODED WARNING



	( DEFINITION/CRITERIA )
*	Heavy: 64.5 to 115.5 mm/cm *
Rain/ Snow "	Very Heavy: 115.6 to 204.4 mm/cm*  Extremely Heavy: > 204.4 mm/cm *
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions (a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
Heat Wave	(b). Based on Actual maximum temperature
	Heat Wave: When actual maximum temperature ≥45°C.
	Severe Heat Wave: When actual maximum temperature ≥47°C
	(c). Criteria for heat wave for coastal stations  When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum
	temperature ≥37°C
	When maximum temperature remains 40°C
Varm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
	Severe Warm Night: When minimum temperature departure >6.4 °C.
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions.  (a). Based on departure
	Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold Wave	(b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave : When Minimum Temperature is ≤ 4.0 °C
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	( c) For Coastal Stations  When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions  Based on departure
Cold Day	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km  Moderate Fog: When the visibility between 500-200 metres
Fog	Dense Fog: when the visibility between 50-200 metres
	Very Dense Fog: when the visibility < 50 metres
nunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
	osana (manasi)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
-	Ice deposits on ground
Frost	Air temperature ≤4°C ( over Plains)
	A strong wind that rises suddenly, lasts for atleast 1 minute.
Squall	Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph
•	Very Severe: Wind speed >87 kmph
	Effect of various waves in the sea over specific area
	BURNING WELV TOUGH VYING SOREG 4 I-DZ KINDD (ZZ-3.3 KNOIS) A VVAVE DEIGNI Z 5-D METE
Sea State	Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre  High to very high: Wind speed 63-117 kmph ( 34-63 knots) & Wave height 6-14 metre
Sea State	
Sea State	High to very high: Wind speed 63-117 kmph ( 34-63 knots) & Wave height 6-14 metre  Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre
Sea State	High to very high: Wind speed 63-117 kmph ( 34-63 knots) & Wave height 6-14 metre
Sea State	High to very high: Wind speed 63-117 kmph ( 34-63 knots) & Wave height 6-14 metre  Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre  Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)