



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Wednesday, February 26, 2025 Time of Issue: 0745 hours IST (MORNING)

# All India Impact Based Weather Warning Bulletin

Weather Warnings for next 7 days is given below: (Graphics for warnings & rainfall distribution (Table 1) are given below the text:

# 26th February (Day 1):

- ❖ Heavy to very heavy Rainfall/Snowfall (≥ 12 cm) likely at isolated places of Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad; Heavy Rainfall/Snowfall (≥ 7 cm) likely at isolated places of Himachal Pradesh.
- ❖ Thunderstorm accompanied with lightning likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh, Uttarakhand, Punjab, Haryana-Chandigarh-Delhi, Andaman & Nicobar Islands.
- **\Delta** Hot & Humid conditions very likely in isolated pockets of Gujarat State.
- **❖ Heat wave conditions** likely at isolated pockets of Konkan & Goa, Coastal Karnataka and north Kerala & Mahe.
- ❖ Squally weather with wind (speed 35 kmph to 45 kmph gusting to 55 kmph) likely to prevail over Gulf of Mannar & adjoining Comorin area, along and off south Tamil Nadu coast, over south Andaman Sea & adjoining north Andaman Sea, over many parts of southeast Bay of Bengal & adjoining parts of southwest Bay of Bengal. Fishermen are advised not to venture into these areas.

## 27th February (Day 2):

- ♣ Heavy to very heavy Rainfall/Snowfall (≥ 12 cm) likely at isolated places of Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Himachal Pradesh; Heavy Rainfall/Snowfall (≥ 7 cm) likely at isolated places of Uttarakhand; Heavy Rainfall (≥ 7 cm) likely at isolated places of Tamil Nadu, Puducherry & Karaikal.
- ❖ Thunderstorm accompanied with gusty wind (30-40 kmph), hailstorm and lightning likely at isolated places over Punjab and Haryana-Chandigarh-Delhi; Thunderstorm accompanied with lightning likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh, Uttarakhand, West Uttar Pradesh, Kerala & Mahe and Tamil Nadu, Puducherry & Karaikal.
- **❖ Hot & Humid conditions** very likely in isolated pockets of Gujarat state.
- **\Delta Heat wave conditions** likely at isolated pockets of Coastal Karnataka.
- ❖ Squally weather with wind (speed 35 kmph to 45 kmph gusting to 55 kmph) likely to prevail over Gulf of Mannar & adjoining Comorin area, along and off south Tamil Nadu coast, over south Andaman Sea & adjoining north Andaman sea, over many parts of southeast Bay of Bengal, northern parts of southwest Bay of Bengal. Fishermen are advised not to venture into these areas.



## 28th February (Day 3):

- ❖ Heavy Rainfall/Snowfall (≥ 7 cm) likely at isolated places of Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand; Heavy Rainfall (≥ 7 cm) likely at isolated places of Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe.
- ❖ Thunderstorm accompanied with gusty wind (30-40 kmph) and lightning likely at isolated places over Punjab and Haryana-Chandigarh-Delhi; Thunderstorm accompanied with lightning likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Uttarakhand, Uttar Pradesh, Rajasthan, Kerala & Mahe and Tamil Nadu, Puducherry & Karaikal.
- **\Delta Hot & Humid conditions** very likely at isolated pockets of Coastal Karnataka.
- ❖ Squally weather with wind (speed 35 kmph to 45 kmph gusting to 55 kmph) likely to prevail over gulf of Mannar & adjoining Comorin area along and off south Tamil Nadu coast. Fishermen are advised not to venture into these areas.

## 01st March (Day 4):

- ❖ Heavy Rainfall (≥ 7 cm) likely at isolated places of Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe.
- ❖ Thunderstorm accompanied with lightning likely at isolated pockets of Uttar Pradesh, Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe.
- **\Delta Hot & Humid conditions** very likely at isolated pockets of Coastal Karnataka.

### **02nd March (Day 5):**

**❖** No Weather Warning.

### 03rd March (Day 6):


**❖** No Weather Warning.


#### 04<sup>th</sup> March (Day 7):


**❖** No Weather Warning.
















#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences



- Action may be taken based on ORANGE AND RED COLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.



# National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Table-1

	7 Day	s Rainfal	II Foreca	st				
C No	Cubdivision	26-Feb	27-Feb	28-Feb	01-Mar	02-Mar	03-Mar	04-Mar
S. No.	Subdivision	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	WS	FWS	FWS	SCT	SCT	SCT	SCT
2	ARUNACHAL PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
3	ASSAM & MEGHALAYA	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
4	NAGALAND, MANIPUR, MIZORAM & TRIPURA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
5	SUB-HIMALAYAN WEST BENGAL & SIKKIM	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
6	GANGETIC WEST BENGAL	DRY	DRY	DRY	DRY	DRY	DRY	DRY
7	ODISHA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
8	JHARKHAND	DRY	DRY	DRY	DRY	DRY	DRY	DRY
9	BIHAR	DRY	ISOL	ISOL	DRY	DRY	DRY	DRY
10	EAST UTTAR PRADESH	DRY	ISOL	ISOL	DRY	DRY	DRY	DRY
11	WEST UTTAR PRADESH	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
12	UTTARAKHAND	WS	WS	FWS	ISOL	ISOL	ISOL	ISOL
13	HARYANA CHANDIGARH & DELHI	SCT	SCT	ISOL	DRY	DRY	DRY	DRY
14	PUNJAB	SCT	SCT	ISOL	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	WS	WS	FWS	SCT	SCT	SCT	SCT
16	JAMMU & KASHMIR AND LADAKH	WS	WS	FWS	SCT	SCT	SCT	SCT
17	WEST RAJASTHAN	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
20	EAST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
21	GUJARAT REGION	DRY	DRY	DRY	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
24	MADHYA MAHARASHTRA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
25	MARATHAWADA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
26	VIDARBHA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
27	CHHATTISGARH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
28	COASTAL ANDHRA PRADESH & YANAM	DRY	DRY	DRY	DRY	DRY	DRY	DRY
29	TELANGANA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
30	RAYALASEEMA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
31	TAMILNADU PUDUCHERRY & KARAIKAL	SCT	FWS	FWS	ISOL	ISOL	ISOL	ISOL
32	COASTAL KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
33	NORTH INTERIOR KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
34	SOUTH INTERIOR KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
35	KERALA & MAHE	SCT	FWS	FWS	FWS	FWS	FWS	FWS
36	LAKSHADWEEP	SCT	SCT	FWS	FWS	FWS	FWS	FWS

<sup>•</sup> As the lead period increases forecast accuracy decreases.





#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

# Agromet advisories for likely impact of Heavy Rainfall/Snowfall/Heat Wave

- ➤ Complete harvesting of matured rapeseed in **Uttarakhand** and cole crops in **Himachal Pradesh**.
- Make provision for draining out excess water from the standing crop fields in **Andaman & Nicobar**, **Jammu and Kashmir**, **Himachal Pradesh and Uttarakhand**. In case of heavy snowfall, shake the fruit bearing trees to remove snow immediately from the branches.
- ➤ Keep the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields.
- Provide mechanical support to horticultural crops and staking to vegetables for avoiding lodging.
- Apply light and frequent irrigation to the standing crops in the evening to protect them from low temperature stress or cold injuries in **Konkan**, **Kerala** and **Coastal Karnataka**.

#### Livestock

- ➤ Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- > Store feed and fodder in a safe place to prevent spoilage.

Impact & Action Suggested due to heavy rainfall/ snowfall over Jammu & Kashmir & Himachal Pradesh during 26<sup>th</sup> -28<sup>th</sup> and Uttarakhand on 27<sup>th</sup> & 28<sup>th</sup> February.

# A. Impact Expected

- ❖ Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- ❖ Occasional reduction in visibility due to heavy rainfall.
- ❖ Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- ❖ Localized Landslides/Mudslides
- ❖ Damage to horticulture and standing crops in some areas due to inundation.
- ❖ It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC).

# **B. Action Suggested**

- ❖ Check for traffic congestion on your route before leaving for your destination.
- ❖ Follow any traffic advisories that are issued in this regard.
- ❖ Avoid going to areas that face the water logging problems often.
- ❖ Avoid staying in vulnerable structure.





#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Impact expected and action suggested due to isolated thunderstorm with lightning/gusty winds & Hailstorm over Northwest India during 26<sup>th</sup> -28<sup>th</sup> February

# Impact expected:

- Strong wind/hail may damage plantation, horticulture and standing crops.
- ► Hail may injure people and cattle at open places.
- Partial damage to vulnerable structures due to strong winds.
- Minor damage to kutcha houses/walls and huts.
- Loose objects may fly.

# **Action suggested:**

- > Stay indoors, close windows & doors and avoid travel if possible.
- Take safe shelters; do not take shelter under trees.
- ➤ Do not lie on concrete floors and do not lean against concrete walls.
- Unplug electrical/ electronic appliances.
- > Immediately get out of water bodies.
- ➤ Keep away from all the objects that conduct electricity.

Impact expected and action suggested due Heat Wave conditions over Konkan, coastal Karnataka and North Kerala during next 2-3 days.

#### **Yellow alert Areas:**

- Moderate temperature & heat is tolerable for general public but moderate health concern likely for vulnerable people e.g. infants, elderly, people with chronic diseases.
- > Avoid heat exposure.
- Wear lightweight, light colour, loose, cotton clothes.
- Cover your head, use a cloth, hat or umbrella.

36. लक्षद्वीप

### राष्ट्रीय मौसम पूर्वानुमान केन्द्र भारत मौसम विज्ञान विभाग पृथ्वी विज्ञान मंत्रालय



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

36. Lakshadweep

# **LEGENDS**



### **SPATIAL DISTRIBUTION** (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	isolated (ISOL)





	( DEFINITION/CRITERIA )
	Heavy: 64.5 to 115.5 mm/cm *
Rain/ Snow *	Very Heavy: 115.6 to 204.4 mm/cm*  Extremely Heavy: > 204.4 mm/cm *
	Extremely Heavy: > 204.4 mm/cm "
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions
	(a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
Heat Ways	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
Heat Wave	(b). Based on Actual maximum temperature
	Heat Wave: When actual maximum temperature ≥45°C.  Severe Heat Wave: When actual maximum temperature ≥47°C
	( c). Criteria for heat wave for coastal stations
	When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C
	When maximum temperature remains 40°C
Warm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
	Severe Warm Night: When minimum temperature departure >6.4 °C.
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions. (a). Based on departure
	Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold Wave	(b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave : When Minimum Temperature is ≤ 4.0 °C
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	( c) For Coastal Stations
	When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions
	Based on departure
Cold Day	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km
	Moderate Fog: When the visibility between 500-200 metres
Fog	Dense Fog: when the visibility between 50- 200 metres
	Very Dense Fog: when the visibility < 50 metres
Thunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling
	sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and
	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground
Frost	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph
Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph
Frost	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph
Frost	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph  Very Severe: Wind speed >87 kmph
Frost Squall	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph
Frost	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph  Very Severe: Wind speed >87 kmph  Effect of various waves in the sea over specific area  Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre  High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre
Frost	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  [Air temperature ≤4°C ( over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph  Very Severe: Wind speed >87 kmph  Effect of various waves in the sea over specific area  [Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
Frost	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.    Comparison of the compa
Frost	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.    Comparison of the content
Frost Squall Sea State	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph  Very Severe: Wind speed >87 kmph  Effect of various waves in the sea over specific area  Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre  High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre  Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre  Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)  Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
Frost	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.    Comparison of the content